

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Polarshine 3 Finishing Nano Antistatic Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company KWH Mirka Ltd
Pensalavägen 210
66850 Jeppo / FINLAND
Phone +358 20 760 2111
Fax +358 20 760 2290
Homepage www.mirka.com
E-mail sales@mirka.com

Address enquiries to

Technical information sales@mirka.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +358 20 760 2111 (8:00 - 16:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none
Special labelling EUH066 Repeated exposure may cause skin dryness or cracking.
EUH210 Safety data sheet available on request.
Contains: Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1). EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards Combustible.
Human health dangers Has a degreasing effect on the skin.
Other hazards Further hazards were not determined with the current level of knowledge.

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 2 / 9

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
15 - 25	Hydrocarbons, C10-C13, n-alkanes, <2 % aromatics
	CAS: 64771-72-8, EINECS/ELINCS: 929-018-5
	GHS/CLP: Asp. Tox. 1: H304
1 - < 3	Alkanes, C9-12-iso
	CAS: 90622-57-4, EINECS/ELINCS: 923-037-2, Reg-No.: 01-2119471991-29-XXXX
	GHS/CLP: Flam. Liq. 3: H226 - Asp. Tox. 1: H304 - Aquatic Chronic 4: H413
< 1	Dimethyl siloxane, HO-term Rxn methyltrimethoxysilane & aminoethylaminopropyltrimethoxysilane
	CAS: 69430-37-1
	GHS/CLP: Flam. Liq. 2: H225 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319
< 0,005	Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1)
	CAS: 55965-84-9, EU-INDEX: 613-167-00-5
	GHS/CLP: Acute Tox. 3: H301 H311 H331 - Skin Corr. 1B: H314 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change soaked clothing.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Supply with medical care.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 3 / 9

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid spilling in enclosed areas.
Use solvent-resistant equipment.
During mechanical processing vacuuming at processing machines is necessary.
Keep away from sources of ignition - refrain from smoking.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.
Provide solvent-resistant and impermeable floor.
Keep only in original container.
Do not store together with oxidizing agents.
Protect from heat/overheating.
Keep container in a well-ventilated place.
Keep container tightly closed.
Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 4 / 9

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
10 - 20	Hydrocarbons, C10-C13, n-alkanes, <2 % aromatics
	CAS: 64771-72-8, EINECS/ELINCS: 929-018-5
	Long-term exposure: 1200 mg/m ³
1 - 5	Alkanes, (C9-C12)-Iso
	CAS: 90622-57-4, EINECS/ELINCS: 292-459-0
	Long-term exposure: 1200 mg/m ³

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm: Butyl rubber, >480 min (EN 374). In splash contact > 0,4 mm: Nitrile rubber, >480 min (EN 374).
Skin protection	Protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of high concentrations. Short term: filter apparatus, combination filter A-P1.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 5 / 9

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	viscous
Color	whitish
Odor	characteristic
Odour threshold	not determined
pH-value	8,5
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	> 65/ > 149°F
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,946
Bulk density [kg/m ³]	not determined
Solubility in water	partially miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	> 20,5 mm ² /s (40°C / 104°F)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No special measures necessary.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

KWH Mirka Ltd
 66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 6 / 9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
ATE-mix, oral, > 2000 mg/kg.

Range [%]	Substance
< 0,005	Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
	LD50, dermal, Rabbit: ca. 100 mg/kg.
	LD50, oral, Rat: ca. 66 mg/kg.
	LC50, inhalative, Rat: 0,33 mg/l (4h).
15 - 25	Hydrocarbons, C10-C13, n-alkanes, <2 % aromatics, CAS: 64771-72-8
	LD50, oral, Rat: > 2000 mg/kg.

Serious eye damage/irritation not determined

Skin corrosion/irritation not determined

Respiratory or skin sensitisation not determined

Specific target organ toxicity — single exposure not determined

Specific target organ toxicity — repeated exposure not determined

Mutagenicity not determined

Reproduction toxicity not determined

Carcinogenicity not determined

General remarks Frequent persistent contact with the skin can cause skin irritation.

Toxicological data of complete product are not available.
 The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
< 0,005	Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
	LC50, (96h), Oncorhynchus mykiss: 0,22 mg/l.
	EC50, (48h), Daphnia magna: 0,12 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 7 / 9

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

080202
120120*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 8 / 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	yes
- VOC (1999/13/CE)	207 g/l

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H314 Causes severe skin burns and eye damage.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H225 Highly flammable liquid and vapour.
H413 May cause long lasting harmful effects to aquatic life.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff	not determined
Classification procedure	

KWH Mirka Ltd
66850 Jeppo

Date printed 18.06.2015, Revision 18.06.2015

Version 03. Supersedes version: 02

Page 9 / 9

Modified position

none

Copyright: Chemiebüro®