

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Polarshine 3 Finishing Antistatic Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Mirka Ltd
Pensalavägen 210
66850 Jeppo / FINLAND
Phone +358 20 760 2111
Fax +358 20 760 2290
Homepage www.mirka.com
E-mail sales@mirka.com

Address enquiries to

Technical information sales@mirka.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +358 20 760 2111 (8:00 - 16:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH066 Repeated exposure may cause skin dryness or cracking.
EUH210 Safety data sheet available on request.
Product treated with preservatives C(M)IT/MIT (CAS 55965-84-9).

Contains: Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1). EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards Combustible.

Human health dangers Has a degreasing effect on the skin.

Other hazards Further hazards were not determined with the current level of knowledge.

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 2 / 11

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
20 - < 25	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics EINECS/ELINCS: 927-285-2, Reg-No.: 01-2119480162-45-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - < 3	Alkanes, C9-12-iso CAS: 90622-57-4, EINECS/ELINCS: 923-037-2, Reg-No.: 01-2119471991-29-XXXX GHS/CLP: Flam. Liq. 3: H226 - Asp. Tox. 1: H304 - Aquatic Chronic 4: H413
0,01 - < 0,1	2-Bromo-2-nitropropane-1,3-diol CAS: 52-51-7, EINECS/ELINCS: 200-143-0, EU-INDEX: 603-085-00-8 GHS/CLP: Acute Tox. 4: H312 - Acute Tox. 4: H302 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Aquatic Acute 1: H400, M = 10
0,00015 - < 0,0015	Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1) CAS: 55965-84-9, EU-INDEX: 613-167-00-5 GHS/CLP: Acute Tox. 3: H301 H311 H331 - Skin Corr. 1B: H314 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M = 10

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Get medical advice.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 3 / 11

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid spilling in enclosed areas.
Use solvent-resistant equipment.
During mechanical processing vacuuming at processing machines is necessary.
Avoid contact with eyes and skin. Use personal protective equipment.
Keep away from sources of ignition - refrain from smoking.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.
Provide solvent-resistant and impermeable floor.
Keep only in original container.
Do not store together with oxidizing agents.
Protect from heat/overheating.
Keep container in a well-ventilated place.
Keep container tightly closed.
Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics
EINECS/ELINCS: 927-285-2, Reg-No.: 01-2119480162-45-XXXX
Long-term exposure: 1200 mg/m ³
Alkanes, C9-12-iso
CAS: 90622-57-4, EINECS/ELINCS: 923-037-2, Reg-No.: 01-2119471991-29-XXXX
Long-term exposure: 1200 mg/m ³

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4 mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 5 / 11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Viscous liquid
Color	whitish
Odor	characteristic
Odour threshold	No information available.
pH-value	8,5
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	> 65/ > 149°F
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,946
Bulk density [kg/m ³]	No information available.
Solubility in water	partially miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	> 20,5 mm ² /s (40°C / 104°F)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No special measures necessary.

10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 6 / 11

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
ATE-mix, oral, > 2000 mg/kg.
Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LD50, dermal, Rat: > 2000 mg/kg (OECD 402).
LD50, oral, Rat: 254 mg/kg.
LC50, inhalative, Rat: > 0,588 mg/l (Aerosol, 4h).
Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
LD50, dermal, Rabbit: ca. 100 mg/kg.
LD50, oral, Rat: ca. 66 mg/kg.
LC50, inhalative, Rat: 0,33 mg/l (4h).
Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics
LD50, dermal, Rabbit: > 5000 mg/kg.
LD50, oral, Rat: > 5000 mg/kg.
NOAEL, inhalative, Rat: >5 mg/L.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	EUH208: May produce an allergic reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Substance
2-Bromo-2-nitropropane-1,3-diol, CAS: 52-51-7
LC50, (96h), Oncorhynchus mykiss: 41,2 mg/l.
EC50, (72h), Algae: 0,4 - 2,8 mg/l.
EC50, (48h), Daphnia magna: 1,4 mg/l.
EC50, Bacteria: > 50 mg/l.
Mixture: 5-Chloro-2-methyl-2H-isothiazolin-3-one/2-Methyl-4-isothiazolin-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss: 0,22 mg/l.
EC50, (48h), Daphnia magna: 0,12 mg/l.
Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics
LC50, (96h), fish: > 1000 mg/l.
EC50, (72h), Algae: > 1000 mg/l.
EC50, (48h), Daphnia magna: > 1000 mg/l.

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 7 / 11

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended) 080202
120120*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 8 / 11

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 9 / 11

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for young people.
- VOC (2010/75/CE)	ca. 22 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H318 Causes serious eye damage.
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H314 Causes severe skin burns and eye damage.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H413 May cause long lasting harmful effects to aquatic life.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 10 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

SECTION 3 been added: 2-Bromo-2-nitropropane-1,3-diol
SECTION 3 been added: Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics
SECTION 3 deleted: Dimethyl siloxane, HO-term Rxn methyltrimethoxysilane & aminoethylaminopropyltrimethoxysilane
SECTION 3 deleted: Hydrocarbons, C10-C13, n-alkanes, <2 % aromatics
SECTION 2 been added: Product treated with preservatives [x].
SECTION 2 been added: The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).
SECTION 6 been added: Wear suitable protective equipment. For personal protection see SECTION 8.
SECTION 7 been added: Avoid contact with eyes and skin. Use personal protective equipment.
SECTION 8 been added: Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
SECTION 9 been added: No information available.
SECTION 9 deleted: not determined
SECTION 11 been added: Calculation method
SECTION 11 been added: May produce an allergic reaction.
SECTION 12 been added: No information available.
SECTION 12 deleted: not determined

Mirka Ltd
66850 Jeppo

Date printed 15.05.2019, Revision 15.01.2019

Version 04. Supersedes version: 03

Page 11 / 11



Copyright: Chemiebüro®

