

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 1 / 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Remint Polishing Compound M**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Polishing agent

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** Mirka Ltd  
Pensalavägen 210  
66850 Jeppo / FINLAND  
Phone +358 20 760 2111  
Fax +358 20 760 2290  
Homepage [www.mirka.com](http://www.mirka.com)  
E-mail [sales@mirka.com](mailto:sales@mirka.com)

#### Address enquiries to

**Technical information** [sales@mirka.com](mailto:sales@mirka.com)  
**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

### 1.4 Emergency telephone number

**Company** +358 20 760 2111 (8:00 - 16:00)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms** none

**Signal word** none

**Hazard statements** none

**Precautionary statements** none

**Special labelling** EUH210 Safety data sheet available on request.

Contains: 1,2-benzisothiazol-3(2H)-one. EUH208 May produce an allergic reaction.

### 2.3 Other hazards

**Other hazards** Further hazards were not determined with the current level of knowledge.

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 2 / 10

### SECTION 3: Composition / Information on ingredients

#### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
1 - < 10	Cerium dioxide CAS: 1306-38-3, EINECS/ELINCS: 215-150-4
1 - < 10	Lanthanum oxide CAS: 1312-81-8, EINECS/ELINCS: 215-200-5
0,005 - < 0,05	1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6 GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M = 1

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Get medical advice. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to the doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.
<b>Extinguishing media that must not be used</b>	Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 3 / 10

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Wear suitable protective equipment. For personal protection see SECTION 8.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Avoid spilling in enclosed areas.  
During mechanical processing vacuuming at processing machines is necessary.  
Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink or smoke when using this product.  
Wash hands before breaks and after work.  
Use barrier skin cream.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
exposure limits to be monitored (GB)

not applicable

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 4 / 10

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. Pay attention to dust limit value (ACGIH-2011: 10 mg/m <sup>3</sup> particle inhalable; 3 mg/m <sup>3</sup> particle respirable).
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,11 mm, Butyl rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Protective clothing (EN 340)
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale dust. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. short term: filter apparatus, filter P1 (DIN EN 143)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	liquid
<b>Color</b>	red-brown
<b>Odor</b>	odourless
<b>Odour threshold</b>	No information available.
<b>pH-value</b>	7,0 - 9,0
<b>pH-value [1%]</b>	No information available.
<b>Boiling point [°C]</b>	No information available.
<b>Flash point [°C]</b>	not applicable
<b>Flammability (solid, gas) [°C]</b>	not applicable
<b>Lower explosion limit</b>	not applicable
<b>Upper explosion limit</b>	not applicable
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	No information available.
<b>Density [g/ml]</b>	ca. 1,1
<b>Bulk density [kg/m<sup>3</sup>]</b>	not applicable
<b>Solubility in water</b>	miscible
<b>Partition coefficient [n-octanol/water]</b>	No information available.
<b>Viscosity</b>	not applicable
<b>Relative vapour density determined in air</b>	No information available.
<b>Evaporation speed</b>	No information available.
<b>Melting point [°C]</b>	No information available.
<b>Autoignition temperature [°C]</b>	No information available.
<b>Decomposition temperature [°C]</b>	No information available.

### 9.2 Other information

none

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 5 / 10

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

### 10.4 Conditions to avoid

No information available.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 6 / 10

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LD50, dermal, Rat: > 5000 mg/kg (EPA OPP 81-2).
LD50, oral, Rat: 670-784 mg/kg (EPA Guideline).
LD50, oral, Rat: 1020 mg/kg.
NOAEL, oral, Rat: 10 mg/kg/90d (OECD 408).
Cerium dioxide, CAS: 1306-38-3
LD50, dermal, Rat: > 2000 mg/kg.
LC50, inhalativ (dust), Rat: > 5,05 mg/l/4h.
NOEL, oral, Rat: 1000 mg/kg.
Lanthanum oxide, CAS: 1312-81-8
LD50, dermal, Rat: > 1087 mg/kg.
LC0, inhalativ (dust), Rat: > 5,3 mg/l/4h.
NOAEL, oral, mouse: >= 0,625 mg/kg.

<b>Serious eye damage/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	EUH208: May produce an allergic reaction. Calculation method
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Toxicological data of complete product are not available.

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 7 / 10

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LC50, (96h), Oncorhynchus mykiss: 1,4 mg/l (OECD 203).
LC50, (96h), Oncorhynchus mykiss: 0,8 mg/l.
EC50, (72h), Pseudokirchneriella subcapitata: 0,11 mg/l (OECD 201).
EC50, (48h), Daphnia magna: 1,05 mg/l (OECD 202).
EC50, (48h), Daphnia magna: 4,4 mg/l.
EC10, (72h), Pseudokirchneriella subcapitata: 0,04 mg/l (OECD 201).
Cerium dioxide, CAS: 1306-38-3
LC50, (96h), Danio rerio: > 100 mg/l.
EC50, (3h), Activated sewage sludge: > 1003,8 mg/l.
EC50, (72h), Scenedesmus quadricauda (alga): > 100 mg/l.
EC50, (48h), Daphnia magna: > 100 mg/l.
Lanthanum oxide, CAS: 1312-81-8
LC50, (96h), Danio rerio: > 100 mg/l.
EC50, (3h), Activated sewage sludge: > 1003,8 mg/l.
EC50, (72h), Scenedesmus subspicatus: > 100 mg/l.
EC50, (48h), Daphnia magna: > 100 mg/l.
NOEC, (21d), Daphnia magna: >= 100 mg/l.

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	No information available.
<b>Biological degradability</b>	No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

Ecological data of complete product are not available.

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 8 / 10

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

##### Product

Dispose of as hazardous waste.  
Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 120121

##### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150106

### SECTION 14: Transport information

#### 14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01

Page 9 / 10

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions for people not applicable

- VOC (2010/75/CE) < 1 %

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 03)

H400 Very toxic to aquatic life.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H315 Causes skin irritation.  
H302 Harmful if swallowed.

Mirka Ltd  
66850 Jeppo

Date printed 20.09.2019, Revision 20.09.2019

Version 01 Page 10 / 10

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@/TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure

Modified position

none



Copyright: Chemiebüro®

