

# KWH Mirka Ltd

66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 1 / 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### **Dry Guide Coat Black**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Applicator

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

**Company** KWH Mirka Ltd

Pensalavägen 210 66850 Jeppo / FINLAND Phone +358 20 760 2111 Fax +358 20 760 2290 Homepage www.mirka.com E-mail sales@mirka.com

Address enquiries to

Technical information sales@mirka.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

**Company** +358 20 760 2111 (8:00 - 16:00)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictogramsnoneHazard statementsnonePrecautionary statementsnone

2.3 Other hazards

Physico-chemical hazards Dust formation.

Other hazards Further hazards were not determined with the current level of knowledge.

#### SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

Range [%]	Substance
< 25	Carbon black and dispersing agent
	CAS: 1333-86-4
> 50	Fe2O3
	CAS: 1309-37-1, EINECS/ELINCS: 215-168-2

Comment on component parts No dangerous components.

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.



# KWH Mirka Ltd

# 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 2 / 8

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Supply with medical care.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

#### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media All extinguishing media are suitable but method must take into account the surrounding area

to minimize dispersion.

Extinguishing media that must not

be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

# 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Avoid dust formation.

# 6.2 Environmental precautions

Knock down dust with water spray jet.

Retain and dispose of contaminated wash water.

# 6.3 Methods and material for containment and cleaning up

Take up mechanically. Avoid production of dust.

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13



# KWH Mirka Ltd 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 3 / 8

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Avoid the formation and deposition of dust.

Dust deposits that cannot be avoided must be taken up regularly.

Keep away from sources of ignition - refrain from smoking.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground. Keep only in original container.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed. Protect from heat/overheating.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

# SECTION 8: Exposure controls / personal protection

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
> 50	Fe2O3
	CAS: 1309-37-1, EINECS/ELINCS: 215-168-2
	Long-term exposure: 5 mg/m³, fume (as Fe)
	Short-term exposure (15-minute): 10 mg/m³
< 25	Carbon black
	CAS: 1333-86-4, EINECS/ELINCS: 215-609-9
	Long-term exposure: 3,5 mg/m³
	Short-term exposure (15-minute): 7 mg/m³



# **KWH Mirka Ltd**

# 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 4 / 8

#### 8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

To pay attention to dust limit value (ACGHI-2011: 10 mg/m³ particle inhalable; 3 mg/m³

particle respirable).

Tightly fitting goggles. Eye protection

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

> information. In full contact:

0,4 mm: Butyl rubber, >480 min (EN 374).

Skin protection Protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale dust.

Avoid contact with eyes and skin.

Respiratory protection Respiratory protection in the case of dust formation.

Short term: filter apparatus, combination filter A-P1.

Thermal hazards No information available

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Form powder Color black Odor odourless **Odour threshold** not determined pH-value not determined pH-value [1%] not determined Boiling point [°C] not determined Flash point [°C] non flammable Flammability (solid, gas) [°C] not determined Lower explosion limit not determined Upper explosion limit not determined

**Oxidizing properties** 

Vapour pressure/gas pressure [kPa] not determined Density [g/ml] not determined Bulk density [kg/m³] not applicable Solubility in water partially miscible Partition coefficient [n-octanol/water] not determined Viscosity not applicable Relative vapour density determined not determined

in air

**Evaporation speed** not determined Melting point [°C] not determined Autoignition temperature [°C] not determined Decomposition temperature [°C] not determined

#### Other information

No information available.



# KWH Mirka Ltd 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 5 / 8

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents. Reactions with acids.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

No information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

	Range [%]	Substance
	< 25	Carbon black, CAS: 1333-86-4
		LD50, dermal, Rabbit: > 3000 mg/kg (Lit.).
		LD50, oral, Rat: 11000 mg/kg (Lit.).

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled. Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled. Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled. Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled. single exposure Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled. repeated exposure Mutagenicity Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity Based on the available information, the classification criteria are not fulfilled. Carcinogenicity Based on the available information, the classification criteria are not fulfilled. Aspiration hazard Based on the available information, the classification criteria are not fulfilled. General remarks

Toxicological data of complete product are not available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

### 12.2 Persistence and degradability

Behaviour in environment not determined compartments

Behaviour in sewage plant not determined Biological degradability not determined



# KWH Mirka Ltd 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 6 / 8

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### **Product**

Dispose of as hazardous waste.

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 120120\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*

### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

### 14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

**IMDG** 

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

# 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name



# KWH Mirka Ltd 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 7 / 8

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015). NATIONAL REGULATIONS (GB):

EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

not applicable

- VOC (1999/13/CE) not applicable

Tables of occupational diseases: Table # 44 Occupational diseases caused by inhalation of inorganic dusts or fumes containing

iron or oxides iron particles.

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### 16.1 Hazard statements (SECTION 3)

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative



# KWH Mirka Ltd 66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015 Version 01 Page 8 / 8

16.3 Other information

Classification procedure

Modified position none

Copyright: Chemiebüro®