

KWH Mirka Ltd
66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Dry Guide Coat White

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Applicator

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company KWH Mirka Ltd
Pensalavägen 210
66850 Jeppo / FINLAND
Phone +358 20 760 2111
Fax +358 20 760 2290
Homepage www.mirka.com
E-mail sales@mirka.com

Address enquiries to

Technical information sales@mirka.com
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company +358 20 760 2111 (8:00 - 16:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with GHS/CLP-directives.

Hazard pictograms none
Hazard statements none
Precautionary statements none

2.3 Other hazards

Physico-chemical hazards Dust formation.
Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
> 50	Titanium dioxide CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, Reg-No.: 01-2119489379-17-XXXX
< 25	dispersing agent

Comment on component parts No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

KWH Mirka Ltd

66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 2 / 8

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Supply with medical care. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment neededTreat symptomatically.
Forward this sheet to the doctor.**SECTION 5: Fire-fighting measures****5.1 Extinguishing media**

Suitable extinguishing media	All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefightersDo not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Avoid dust formation.**6.2 Environmental precautions**Knock down dust with water spray jet.
Retain and dispose of contaminated wash water.**6.3 Methods and material for containment and cleaning up**Take up mechanically. Avoid production of dust.
Dispose of absorbed material in accordance within the regulations.**6.4 Reference to other sections**

See SECTION 8+13

KWH Mirka Ltd
66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 3 / 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid the formation and deposition of dust.
Dust deposits that cannot be avoided must be taken up regularly.

Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.
Keep only in original container.
Do not store together with oxidizing agents.
Keep container in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
> 50	Titanium dioxide
	CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, Reg-No.: 01-2119489379-17-XXXX
	Long-term exposure: 4 mg/m ³ , respirable; total inhalable: TWA=10 mg/m ³

DNEL

Range [%]	Substance
> 50	Titanium dioxide, CAS: 13463-67-7
	Industrial, inhalative (dust), Long-term - local effects: 10 mg/m ³ .
	general population, oral, Long-term - systemic effects: 700 mg/kg/day.

PNEC

Range [%]	Substance
> 50	Titanium dioxide, CAS: 13463-67-7
	oral (food), 1667 mg/kg.
	soil, 100 mg/kg.
	sediment (seaater), 100 mg/kg.
	sediment (freshwater), 1000 mg/kg.
	sewage treatment plants (STP), 100 mg/l.
	seawater, 1 mg/l.
	freshwater, 0,127 mg/l.

KWH Mirka Ltd
66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 4 / 8

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. To pay attention to dust limit value (ACGHI-2011: 10 mg/m ³ particle inhalable; 3 mg/m ³ particle respirable).
Eye protection	Tightly fitting goggles.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: 0,4 mm: Butyl rubber, >480 min (EN 374).
Skin protection	Protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale dust. Avoid contact with eyes and skin.
Respiratory protection	Respiratory protection in the case of dust formation. Short term: filter apparatus, combination filter A-P1.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	powder
Color	white
Odor	odourless
Odour threshold	not determined
pH-value	not determined
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	non flammable
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	partially miscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

9.2 Other information

No information available.

KWH Mirka Ltd
66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 5 / 8

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
> 50	Titanium dioxide, CAS: 13463-67-7
	LD50, dermal, Rabbit: > 5000 mg/kg.
	LD50, oral, Rat: > 5000 mg/kg OECD 425.
	LC50, inhalativ (dust), Rat: > 6,8 mg/l 4h.

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
> 50	Titanium dioxide, CAS: 13463-67-7
	LC50, (48h), Daphnia magna: > 100 mg/l.
	LC50, (96h), Pimephales promelas: > 1000 mg/l.
	EC50, (72h), Pseudokirchneriella subcapitata: 16 mg/l.

KWH Mirka Ltd
66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 6 / 8

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 120120*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

KWH Mirka Ltd
66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 7 / 8

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions for people not applicable

- VOC (1999/13/CE) not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

KWH Mirka Ltd

66850 Jeppo

Date printed 10.09.2015, Revision 10.09.2015

Version 01

Page 8 / 8

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 TLV®/TWA = Threshold limit value – time-weighted average
 TLV®/STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information**Classification procedure****Modified position**

none

Copyright: Chemiebüro®